CHEST TUBE PLACEMENT

• Cerner Order: CT Guided Drainage

For Providers

- Need to hold blood thinners: no
- Need to hold other meds: no
- Need to be NPO: yes if Radiologist uses moderate sedation (8 hrs for food and non clear liquids, 2 hrs for clear liquids)
- Need blood work: not routinely checked (except for BMP in patients with renal disease only if receiving moderate sedation)
 if checked platelets ≥20k and INR ≤3.0)
- Receive moderate sedation: local anesthesia +/- moderate sedation (depending on Radiologist)
- Routine pleural fluid labs:
 - Riverside, Southside, St Johns <u>cell count w/diff</u> body fluid, <u>LDH</u> body fluid, <u>glucose</u> body fluid, <u>protein</u> body fluid, body fluid culture, cytology body fluid
 - Clay <u>cell count w/diff</u> body fluid, <u>pH</u> body fluid, <u>albumin</u> body fluid, <u>LDH</u> body fluid, <u>glucose</u> body fluid, <u>protein</u> body fluid, <u>amylase</u> body fluid, <u>cholesterol</u> body fluid, body fluid <u>culture</u>, <u>fungal</u> culture, <u>AFB</u> culture, <u>cytology</u> body fluid

For Schedulers

- Inpatient procedure only.
- Rads that do procedure: Agrait (MA), Byra (BY), Carter (CA), Cohen (DC), Combs (JC), Edwards (JE), Hoffman (RH), Howard (JH), Parsons (CP), Rezaei (AR), Roth (NR), Sherard (DS), Taylor (IT), Wood (CW)